

600-systemet (6 t)

PVX611-WOBC



Artikelnummer: **5204-012600**

EAN: **7393487061774**

Snabbmatningsfunktion: **Ja**

Leveranslåda: **Plastväska**

Pressgeometrier: **Hexagonal, Oval, Punch**

Säkerhetsanordning: **Closedchassis**

Pressövervakning via display: **Ja**

Arbetsbelysning: **Ja**

Laddare: **Li-Ion Makita**

Laddtid (min): **15**

Presstid (s): **3-6, depending on size**

Pressningar/laddning: **100-200 depending on size and temperature**

AWG/MCM Fåtrådig Al: **6 - 4 AWG**

AWG/MCM Solid Al: **6 - 2 AWG**

AWG/MCM Cu: **18 - 10 AWG**

mm² Fåtrådig Al: **16-25**

mm² Solid Al: **16-35**

mm² Cu: **10-240**

mm² KR/KS, KRF/KSF: **10-150**

mm² KRT/KST: **10-240**

mm² KRD/KSD: **16-185**

Pressarea C-hylsor min (mm²): **6**

Pressarea C-hylsor max (mm²): **50**

Pressarea Al-förbindningar min (mm²): **16**

Pressarea Al-förbindningar max (mm²): **25**



Image not found or type unknown